L Number	Hits	Search Text	DB	Time stamp
23	56	(customi\$8 with (interface\$1 or gui))	USPAT;	2003/09/07
		and (dialog\$2 near1 (box\$2 or window\$1))	US-PGPUB; EPO; JPO;	12:19
		and ((select\$6 or input\$3 or set\$5) with parameter\$1 with control\$6 with	DERWENT;	
		(interface\$11 or gui))	IBM TDB	
24	56	(customi\$8 with (interface\$1 or gui))	USPĀT;	2003/09/07
		and (dialog\$2 near1 (box\$2 or window\$1))	US-PGPUB;	12:27
		and ((select\$6 or input\$3 or set\$5) with parameter\$1 with control\$6 with	EPO; JPO; DERWENT;	
		(interface\$1 or gui))	IBM TDB	
25	208	(customi\$8 near2 ((user\$1 adj	USPĀT;	2003/09/07
		interface\$1) or gui)) and (dialog\$2 near1	US-PGPUB;	12:26
		(box\$2 or window\$1))	EPO; JPO; DERWENT;	
			IBM TDB	
31	220	(customi\$8 with interface\$1).ti.	USPAT;	2003/09/07
			US-PGPUB;	14:08
			EPO; JPO;	
			DERWENT; IBM TDB	
34	332	(345/200,762,809).CCLS.	USPAT;	2003/09/07
			US-PGPUB;	14:26
•		<u></u>	EPO; JPO;	
			DERWENT; IBM TDB	
_	206	((different\$4 with scan\$5 with	USPAT;	2003/03/04
		calorimeter\$1) or DSC or (thermal adj1	US-PGPUB;	07:07
		analy\$4)) and (custom\$8 with (interfac\$4	EPO; JPO;	
		or analy\$4))	DERWENT;	
_	76	((different\$4 with scan\$5 with	IBM_TDB USPAT;	2003/03/04
	, , ,	calorimeter\$1) or DSC or (thermal adj1	US-PGPUB;	07:42
		analy\$4)) and ((custom or customi\$8) with	EPO; JPO;	
		(interfac\$4 or analy\$4))	DERWENT;	
_	- 22	((different\$4 with scan\$5 with	IBM_TDB USPAT;	2003/03/04
		calorimeter\$1) or (thermal adj1	US-PGPUB;	07:57
		analy\$4)) and ((custom or customi\$8) with	EPO; JPO;	
		(user\$5 or set\$4))	DERWENT;	
	2.2	((different\$4 with scan\$5 with	IBM_TDB USPAT;	2003/03/04
	2.2	calorimeter\$1) or (thermal adj1	US-PGPUB;	07:58
		analy\$4)) and ((custom or customi\$8) with	EPO; JPO;	
		(user\$5 or set\$4 or operator\$1))	DERWENT;	
_	. 23	//different\$4 with gazn\$5 with	IBM_TDB USPAT;	2003/03/04
-	23	((different\$4 with scan\$5 with calorimeter\$1) or (thermal adj1	US-PGPUB;	07:59
		analy\$4)) and ((custom or customi\$8) with	EPO; JPO;	
		(user\$5 or set\$4 or operator\$1 or	DERWENT;	
_	8616	parameter\$1)) analy\$4 and ((custom or customi\$8) with	IBM_TDB USPAT;	2003/03/04
-	8010	analy\$4 and ((custom or custom1\$8) with (user\$5 or set\$4 or operator\$1 or	USPAT; US-PGPUB;	08:00
		parameter\$1))	EPO; JPO;	
			DERWENT;	
	6456		IBM_TDB	2002/02/04
-	6452	analy\$4 and ((custom or customi\$8) with (user\$5 or operator\$1))	USPAT; US-PGPUB;	2003/03/04
		(about of obergroups))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	1782	analy\$4 and ((custom or customi\$8) adj2	USPAT;	2003/03/04
		(user\$5 or operator\$1))	US-PGPUB; EPO; JPO;	11:13
			DERWENT;	
			IBM_TDB	
- '	333	(analy\$4 and ((custom or customi\$8) adj2	USPĀT;	2003/03/04
		(user\$5 or operator\$1))) and (dialog\$2	US-PGPUB;	08:07
		with (box\$2 or window\$1))	EPO; JPO; DERWENT;	
			IBM TDB	1

-	206		USPAT;	2003/03/04
		(user\$5 or operator\$1))) and (dialog\$2	US-PGPUB;	11:15
		with (box\$2 or window\$1) with display\$3)	EPO; JPO;	. 1
			DERWENT;	
			IBM_TDB	
-	2986	analy\$4 and ((customi\$8 adj2 (user adj	USPAT;	2003/03/04
		interfac\$4)) or (dialog\$4 adj (box\$3 or	US-PGPUB;	11:16
		window\$1)))	EPO; JPO;	
			DERWENT;	ļ.
			IBM_TDB	0000/00/04
-	1687	(analy\$4 and ((customi\$8 adj2 (user adj	USPAT;	2003/03/04
		interfac\$4)) or (dialog\$4 adj (box\$3 or	US-PGPUB;	11:15
		window\$1)))) and (dialog\$2 with (box\$2 or	EPO; JPO;	
		window\$1) with display\$3)	DERWENT;	
	026	// 7 0.4	IBM_TDB	2003/03/04
-	836		USPAT;	I ' '
	ĺ	interfac\$4)) or (dialog\$4 adj (box\$3 or	US-PGPUB;	11:16
		window\$1)))) and (dialog\$2 with (box\$2 or	EPO; JPO; DERWENT;	
		window\$1) with display\$3)) and measur\$6		
	1.00	analysis and samples add so sadd	IBM_TDB	2003/03/04
-	163	analy\$4 and (customi\$8 adj2 (user adj interfac\$4))	USPAT; US-PGPUB;	11:52
		Incertacsall	EPO; JPO;	11.52
			DERWENT;	
			IBM TDB	
_	83	 (analy\$4 and (customi\$8 adj2 (user adj	USPAT;	2003/03/04
-	63	(analysa and (customise adjz (user adj interfac\$4))	US-PGPUB;	11:19
	· ·	or storage or save\$1 or saving) same	EPO; JPO;	11.19
		customi\$8)	DERWENT;	
		Customityo	IBM TDB	
	4	 (analy\$4 and (customi\$8 adj2 (user adj	USPAT;	2003/03/04
-	ļ	interfac\$4))	US-PGPUB;	12:04
		analy\$5) or calorimeter\$4)	EPO; JPO;	12.04
'		analyys, of calolimetery,	DERWENT;	
			IBM TDB	
_	18	analy\$4 and (customi\$8 adj2 (dialog\$3	USPAT;	2003/03/04
	10	adj1 (box\$3 or window\$1)))	US-PGPUB;	12:01
		adji (boxyo or windowyi))	EPO; JPO;	12.01
			DERWENT;	
			IBM TDB	
	4	((thermal adj1 analy\$5) or calorimeter\$4)	USPAT;	2003/03/04
	_	and (customi\$9 adj4 (user adj1	US-PGPUB;	12:06
		interfac\$4))	EPO; JPO;	•
			DERWENT;	
			IBM TDB	
-	10	((thermal adj1 analy\$5) or calorimeter\$4)	USPĀT;	2003/03/04
		and ((customi\$9 or set\$5) adj4 (user adj1	US-PGPUB;	12:07
1 '		interfac\$4))	EPO; JPO;	
			DERWENT;	
	}		IBM_TDB	·
-	104	(analy\$4 and (customi\$8 adj2 (user adj	USPAT;	2003/03/05
		interfac\$4))) and (measur\$7 or	US-PGPUB;	15:25
		calculat\$5)	EPO; JPO;	
			DERWENT;	
	_	[,	IBM_TDB	(
-	63	(analy\$4 and (person\$8 adj2 (user adj	USPAT;	2003/03/05
		interfac\$4))) and (measur\$7 or .	US-PGPUB;	13:15
		calculat\$5)	EPO; JPO;	
			DERWENT;	
	1 220	(mintend 00 add 0 (mintend 2) to 15 0 000	IBM_TDB	2002/02/05
-	116	(customi\$8 adj2 (user adj interfac\$4))	USPAT;	2003/03/05
	1	and measur\$7	US-PGPUB;	17:45
			EPO; JPO;	
	[DERWENT;	
	. 8	(customi\$8 adj2 (operator adj	IBM_TDB USPAT;	2003/03/05
-	"	interfac\$4)) and measur\$7	US-PGPUB;	15:38
		THEETTACAAll aing measural	EPO; JPO;	10.00
	[DERWENT;	
-			IBM TDB	
	L		עניי ייניי ו	1

			TIOD TO	2007/02/25
_	15	(personali\$8 adj2 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/05 17:14
1			IBM TDB	
_	26	(US-6522345-\$ or US-6519571-\$ or US-6515681-\$ or US-6507842-\$ or US-6473707-\$ or US-6438575-\$ or US-6308168-\$ or US-6262728-\$ or US-6234689-\$ or US-5737520-\$ or US-5734863-\$ or US-6201539-\$ or US-5963884-\$ or	USPĀT; US-PGPUB	2003/03/05 17:18
	21	US-5592603-\$ or US-5897635-\$ or US-5874966-\$ or US-5727161-\$ or US-5481741-\$).did. or (US-20020112171-\$ or US-20020063735-\$ or US-20020035501-\$ or US-20020015064-\$ or US-20020057018-\$ or US-20020015042-\$ or US-20010037496-\$).did. ((US-6522345-\$ or US-6519571-\$ or	USPAT;	2003/03/05
	21	US-6515681-\$ or US-6507842-\$ or US-6473707-\$ or US-6438575-\$ or US-6308168-\$ or US-6262728-\$ or US-6234689-\$ or US-5764546-\$ or US-5737520-\$ or US-5734863-\$ or US-6201539-\$ or US-5963884-\$ or US-5592603-\$ or US-5897635-\$ or US-5874966-\$ or US-5727161-\$ or US-5481741-\$).did. or (US-20020112171-\$ or US-20020063735-\$ or US-20020015064-\$ or US-20020057018-\$ or US-20020015042-\$ or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	17:21
-	735	US-20010037496-\$).did.) and measur\$8 (program\$8 adj2 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/05 17:46
	243	(program\$8 adj (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/05 17:46
-	243	(program\$8 adj1 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05
-	162	((program\$8 adj1 (user adj interfac\$4)) and measur\$7) and analy\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06
	158	((user or operator) adj interfac\$4) and ((thermal adj analy\$5) or calorimeter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06
-	488	((dialog\$4 adj (box\$2 or window\$1)) with set\$4 with display\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:44
-	304	<pre>(((dialog\$4 adj (box\$2 or window\$1)) with set\$4 with display\$4)) and (user adj interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 17:43

-	58	((dialog\$4 adj (box\$2 or window\$1)) with	USPAT;	2003/03/06
		set\$4 with display\$4) same (user adj	US-PGPUB;	17:58
		interface)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((dialog\$4 adj (box\$2 or window\$1)) with	USPAT;	2003/03/06
		set\$4 with display\$4 with option\$4) same	US-PGPUB;	17:48
,		(user adj interface)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	22		USPAT;	2003/03/06
		display\$4 with ("no" or "not" or "non"))	US-PGPUB;	18:38
]		same (user adj interface)	EPO; JPO;	
		-	DERWENT;	
		·	IBM TDB	
-	183	(window\$1 with display\$4 with ("no" or	USPAT;	2003/03/06
		"not" or "non")) same (user adj	US-PGPUB;	18:40
		interface)	EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
-	16		USPĀT;	2003/03/06
1		"not" or "non") with input\$2) same (user	US-PGPUB;	18:47
1		adj interface)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	(
-	1	((non adj display\$4) with input\$2) same	USPAT;	2003/03/06
		(user adj interface)	US-PGPUB;	18:48
		-	EPO; JPO;	
			DERWENT;	
			IBM TDB	ĺ
-	16	((non adj display\$4) with input\$2) and	USPAT;	2003/03/06
		(user adj interface)	US-PGPUB;	18:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	16	((non adj1 display\$4) with input\$2) and	USPAT;	2003/03/06
		(user adj interface)	US-PGPUB;	18:54
•			EPO; JPO;	
			DERWENT;	
			IBM TDB	. 1
-	157	(702/127).CCLS.	USPAT;	2003/03/06
			US-PGPUB;	19:27
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
-	2030	(customi\$8 with (user\$1 near	USPĀT;	2003/09/04
		interface\$1))	US-PGPUB;	17:13
			EPO; JPO;	.
			DERWENT;	
			IBM_TDB	
-	5	((customi\$8 with (user\$1 near	USPĀT;	2003/09/04
		interface\$1))) and calorimeter\$1	US-PGPUB;	10:52
1			EPO; JPO;	
,		·	DERWENT;	
			IBM_TDB	
-	474	(customi\$8 with (user\$1 near	USPAT;	2003/09/04
		interface\$1)) and (select\$6 with	US-PGPUB;	10:58
		parameter\$1)	EPO; JPO;	.
			DERWENT;	
			IBM_TDB	
-	451	(customi\$8 with (user\$1 near	USPAT;	2003/09/04
		interface\$1)) and (select\$6 with	US-PGPUB;	10:58
		parameter\$1) and display\$1	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	,
-	151	(customi\$8 with (user\$1 near	USPAT;	2003/09/04
		interface\$1)) and (select\$6 with	US-PGPUB;	12:00
		parameter\$1) and (customi\$8 with	EPO; JPO;	,
1.		display\$1)	DERWENT;	
1		•	IBM TDB	i i

			 	T
-	4	345/700-866	USPAT;	2003/09/04
			US-PGPUB;	12:03
		•	EPO; JPO;	
			DERWENT;	i
			IBM_TDB	0000/00/04
-	9045	(345/700-866).CCLS.	USPAT;	2003/09/04
]			US-PGPUB;	15:27
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
-	1260	((345/700-866).CCLS.) and (select\$8 with	USPAT;	2003/09/04
		parameter\$1)	US-PGPUB;	12:05
			EPO; JPO;	
			DERWENT;	
	205	//245/700 066) ggrg \	IBM_TDB	2002/00/04
-	395		USPAT;	2003/09/04
		parameter\$1) and customi\$9	US-PGPUB;	12:05
			EPO; JPO;	
		·	DERWENT;	
İ	202	//245/700 866) CGIG \ and /galogt69 with	IBM_TDB	2003/09/04
_	393	((345/700-866).CCLS.) and (select\$8 with parameter\$1) and customi\$9 and display\$1	USPAT; US-PGPUB;	12:09
		haramereral, and charamita and disbradar	EPO; JPO;	12.09
Ì		·	DERWENT;	
			IBM TDB	.
_	216	((345/700-866).CCLS.) and (select\$8 with	USPAT;	2003/09/04
-	7 i p	parameter\$1) and customi\$9 and display\$1	US-PGPUB;	12:06
		and dialog\$3	EPO; JPO;	12.00
		and dialogss	DERWENT;	
			IBM TDB	
_	86	((345/700-866).CCLS.) and (select\$8 with	USPAT;	2003/09/04
-	00	parameter\$1) and (customi\$9 with	US-PGPUB;	15:55
		display\$1)	EPO; JPO;	13.33
	•	displayal	DERWENT;	
			IBM TDB	
_	71	(345/809).CCLS.	USPAT;	2003/09/04
	/ -	(343/003/:0045:	US-PGPUB;	16:39
			EPO; JPO;	10.33
			DERWENT;	
			IBM TDB	
_	. 43	((345/809).CCLS.) and dialog\$1	USPAT;	2003/09/04
		((000,000,000,000	US-PGPUB;	15:29
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((345/700-866).CCLS.) and (select\$8 with	USPĀT;	2003/09/04
		parameter\$1) and (customi\$9 with	US-PGPUB;	16:00
		display\$1) and dialysis	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	19		USPAT;	2003/09/06
		window\$1))	US-PGPUB;	14:34
			EPO; JPO;	
			DERWENT;	
		L, ., .	IBM_TDB	2002/00/04
-	189465	(seiko) .asn.	USPAT;	2003/09/04
			US-PGPUB;	17:01
			EPO; JPO;	
			DERWENT;	
_	6	((seiko) .asn.) and (customi\$7 with	IBM_TDB USPAT;	2003/09/04
	"	interface)	US-PGPUB;	17:03
		Interrace;	EPO; JPO;	1,.03
			DERWENT;	l
			IBM TDB	
_	151	((seiko) .asn.) and (sett\$7 with	USPAT;	2003/09/04
	1	interface)	US-PGPUB;	17:04
			EPO; JPO;	· ·
			DERWENT;	
			IBM TDB	
	1	1		

_	53	1 1 1	USPAT;	2003/09/04
		interface)	US-PGPUB;	17:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/04
-	243		USPAT;	2003/09/04
		interface\$1)) and ((save\$2 or saving or	US-PGPUB;	17:14
		store\$2 or storing) with setting\$1)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
_	238		USPAT;	2003/09/06
		interface\$1)) and ((save\$2 or saving or	US-PGPUB;	11:37
		store\$2 or storing) with setting\$1) and	EPO; JPO;	
		display\$3	DERWENT;	İ
	6	"5592603"	IBM_TDB USPAT;	2003/09/06
_	•	3392603	US-PGPUB;	11:37
			EPO; JPO;	11.5/
		•	DERWENT;	
			IBM TDB	
_	245	(gui or (user near2 interface\$1)) with	USPAT;	2003/09/06
	273	parameter\$1 with analy\$5	US-PGPUB;	12:25
		Paramotory wrom anaryyo	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	52	(qui or (user near2 interface\$1)) with	USPAT;	2003/09/06
		parameter\$1 with analy\$5 with control\$5	US-PGPUB;	12:29
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	40	(gui or (user near2 interface\$1)) with	USPĀT;	2003/09/06
		parameter\$1 with analy\$5 with control\$5	US-PGPUB;	12:34
		and ((select\$5 or input\$6) with	EPO; JPO;	
		parameter\$1)	DERWENT;	
		•	IBM_TDB	
-	48		USPAT;	2003/09/06
		parameter\$1 with analy\$5 with control\$5	US-PGPUB;	12:34
		and ((select\$5 or input\$6 or set\$4) with	EPO; JPO;	
		parameter\$1)	DERWENT;	
	_		IBM_TDB	0000/00/06
_	7	,	USPAT;	2003/09/06
		(interface\$1 or gui))	US-PGPUB;	14:36
			EPO; JPO; DERWENT;	
	(IBM TDB	
_		calorimet\$6 and (customi\$8 with	USPAT;	2003/09/06
		(interface\$1 or gui))	US-PGPUB;	14:38
		(Interlace) of gar,	EPO; JPO;	11.50
			DERWENT;	
			IBM TDB	
	699	(customi\$8 with (interface\$1 or gui))	USPAT;	2003/09/06
		and (dialog\$2 near1 (box\$2 or window\$1))	US-PGPUB;	14:38
]			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	422	(customi\$8 with (interface\$1 or gui))	USPĀT;	2003/09/06
		and (dialog\$2 near1 (box\$2 or window\$1))	US-PGPUB;	14:40
		and ((select\$6 or input\$3 or set\$5) with	EPO; JPO;	
1		parameter\$1)	DERWENT;	
			IBM_TDB	
-	136	(customi\$8 with (interface\$1 or gui))	USPAT;	2003/09/06
		and (dialog\$2 near1 (box\$2 or window\$1))	US-PGPUB;	16:21
		and ((select\$6 or input\$3 or set\$5) with	EPO; JPO;	
		parameter\$1 with control\$6)	DERWENT;	
	.	/ gugtomicoth /intenfered;	IBM_TDB	2002/00/07
-	1	(customi\$8 with (interface\$1 or gui))	USPAT; US-PGPUB;	2003/09/07 12:19
		and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with	EPO; JPO;	12.13
		parameter\$1 with control\$6 with	DERWENT;	
		(interface41 or gui))	IBM TDB	
1		, \	, 	i l

_	2	(customi\$8 with (interface\$1 or gui))	USPAT;	2003/09/06
		and (dialog\$2 near1 (box\$2 or window\$1))	US-PGPUB;	17:31
		and ((select\$6 or input\$3 or set\$5) with	EPO; JPO;	:
į		parameter\$1) and (thermal\$2 near	DERWENT;	
		analy\$5)	IBM TDB	
-	2	"6304851"	USPĀT;	2003/09/06
			US-PGPUB;	17:31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	